
Diets For Dogs With Bladder Stones

*Diets For
Dogs With
Bladder
Stones*

*Downloaded from
www remodelicious.com
by Oconnell &
Simpson*

UNDERSTANDING BLADDER STONES IN DOGS: A DIETARY APPROACH TO PREVENTION AND MANAGEMENT

When your loyal canine companion receives a diagnosis of bladder stones, it can feel both alarming and confusing. You might wonder what caused them and how to prevent a recurrence. While veterinary treatment is essential for removing existing stones, the road to

long-term health is paved with a carefully managed diet. This is where understanding the intricacies of **diets for dogs with bladder stones** becomes crucial. Unlike a simple food change, a therapeutic diet targets the specific chemical environment within your dog's bladder, aiming to dissolve certain types of stones or prevent new ones from forming. This article will guide you through the complex world of canine urolithiasis, explaining the science behind different stone types and providing a

clear, actionable nutritional roadmap for your furry friend.

What Exactly Are Bladder Stones?

Bladder stones, medically known as uroliths, are hard, mineral-like accumulations that form in the urinary bladder. They can range in size from tiny, sand-like grains (often called "sludge") to large, singular stones that nearly fill the bladder cavity. These stones develop when urine becomes supersaturated with certain minerals. Think

of it like making rock candy - when the water is too saturated with sugar, crystals form. For dogs, this crystallization process is influenced by factors such as urine pH, hydration levels, bacterial infections, and genetics. Understanding which type of stone your dog has is the absolute cornerstone of designing an effective diet, as the nutritional strategies for different stone types are often contradictory.

The Most Common Types of Bladder

Stones and Their Dietary Links

Not all bladder stones are created equal. The primary types seen in dogs are struvite, calcium oxalate, and urate stones, with cystine and silica stones being less common. Each has a distinct chemical composition and responds to different dietary manipulation.

STRUVITE STONES (MAGNESIUM AMMONIUM PHOSPHATE)

Struvite stones are often associated with a specific type of

bacterial infection (usually *Staphylococcus* or *Proteus*). These bacteria produce an enzyme called urease, which increases the ammonia and pH of the urine, creating an ideal environment for struvite crystals to grow. A key goal of **diets for dogs with bladder stones** of the struvite type is to acidify the urine and reduce the availability of magnesium and phosphate. This can sometimes help dissolve the stones without surgery, though concurrent antibiotic treatment for the underlying infection is also essential.

CALCIUM OXALATE STONES

These stones have become increasingly

common in recent years and are far more challenging to manage nutritionally. They tend to form in urine that is slightly acidic to neutral and are often linked to high levels of calcium and oxalate or low levels of citrate (a natural inhibitor of stone formation). Unlike struvite stones, calcium oxalate stones cannot be dissolved with diet alone; they must be surgically removed or removed via other veterinary procedures. The primary dietary goal here is prevention. This involves feeding a diet that avoids excessive protein, sodium, and oxalates, while also encouraging a high water intake to dilute the urine.

URATE STONES

Urate stones are

formed from uric acid. Some dog breeds, such as Dalmatians, English Bulldogs, and Shih Tzus, have a genetic predisposition to forming these stones due to a defect in their liver's ability to metabolize uric acid. The dietary approach for urate stones focuses on reducing the amount of purines (which break down into uric acid) in the diet. This means feeding a low-protein diet and often avoiding organ meats, fish, and other purine-rich ingredients.

The Core Principles of a

Stone- Preventiv e Diet

While the specific diet must be tailored to the stone type, several universal principles apply when considering **diets for dogs with bladder stones**.

- **Increased**

- **Water Intake:**

- This is arguably the single most important factor. More water means more diluted urine. Dilute urine creates a less favorable environment for crystals to form and clump together. A dog drinking more

water will urinate more frequently, flushing out crystals before they have a chance to grow into stones. You can encourage water intake by using a pet water fountain, adding water to your dog's food, or feeding a wet or canned diet instead of dry kibble.

- **Controlled Mineral Levels:**

- The diet must contain precise, balanced amounts of minerals like calcium, phosphorus, oxalate, and magnesium. This is not about outright restriction, which can cause other

health problems, but about providing the right ratio and amount for your dog's specific condition. Over-supplementation of calcium or vitamin D, for example, is a known risk factor for calcium oxalate stones.

- **Urine pH Management:** The acidity or alkalinity of urine is a powerful lever in stone prevention. Struvite crystals form in alkaline urine (high pH), while calcium oxalate and urate crystals can form in acidic urine (low pH). Veterinary therapeutic diets are carefully

formulated to keep urine pH within a specific, stone-discouraging range.

- **Moderate, High-Quality Protein:** The amount and source of protein in a stone-preventive diet is critically important. For urate stones, protein is often restricted. For calcium oxalate, high-quality but moderate protein levels are usually recommended. For struvite, protein levels are typically moderate to help with urine acidification. The protein must be highly digestible to reduce the

metabolic waste products that can contribute to stone formation.

Prescription on Veterinary Diets: The Gold Standard

Your veterinarian will likely recommend a specific prescription diet formulated for your dog's stone type. These diets are backed by extensive research and are precisely formulated with controlled mineral levels, specific pH targets, and high-quality ingredients.

They are the safest and most effective choice for managing a dog with a history of bladder stones. Common brands include Hill's Prescription Diet (u/d, c/d, s/d), Royal Canin Veterinary Diet (Urinary SO), and Purina Pro Plan Veterinary Diets (UR Urinary). These diets are not just about what they *don't* have; they contain specific additives like sodium chloride (to encourage thirst and water intake) and antioxidants to support a healthy urinary tract.

Can I Make a

Homemade Diet for My Dog?

While it's a common question, formulating a balanced, therapeutic homemade diet for a dog with bladder stones is extremely complex and should never be attempted without the direct supervision of a board-certified veterinary nutritionist or your veterinarian. Getting the balance of minerals, vitamins, and pH-modifying ingredients wrong can be dangerous and may actually worsen the condition. For example, a diet that is too low in calcium can actually

increase the risk of calcium oxalate stones. If you are determined to pursue a homemade diet, your vet can help you consult with a specialist who can create a recipe with the precise nutritional profile for your dog's unique stone type. In most cases, the convenience, safety, and proven efficacy of a prescription diet make it the better choice.

Foods to Avoid and Foods to Include (A

General Guide)

This is a simplified guide. Always defer to your veterinarian's specific advice.

FOODS AND INGREDIENTS TO GENERALLY AVOID

- **High-Oxalate Foods (for calcium oxalate stones):**

Spinach, Swiss chard, beets, rhubarb, almonds, chocolate, and some berries like strawberries and raspberries.

Treats should be carefully chosen.

- **High-Purine Foods (for urate stones):**

Organ meats

(liver, kidney, heart), game meats, sardines, anchovies, and other oily fish.

Some beans and peas may also be high in purines.

- **Excess Salt and Sodium:**

While a small amount of sodium is used in prescription diets to encourage drinking, excessive salt from table scraps or commercial treats can increase calcium excretion in urine, a risk for calcium oxalate stones.

- **Supplementation without Vet Approval:**

This includes vitamin C (which can acidify urine and increase oxalate),

calcium, and vitamin D. Unsupervised supplements can disrupt the delicate balance you're trying to achieve.

FOODS AND INGREDIENTS TO CONSIDER OR INCLUDE (UNDER VETERINARY GUIDANCE)

- **Fresh or steamed vegetables (for calcium oxalate, in moderation):** Low-oxalate options include zucchini, cucumber, broccoli florets, and cabbage. These provide fiber and nutrients without the high oxalate

load.

- **Lean, low-purine proteins (for urate stones):**

Chicken breast (without skin), turkey, and egg whites are generally acceptable in small, controlled amounts.

- **Water!** This is the most important "ingredient." Add warm water to meals, provide fresh water in a clean bowl, and consider offering low-sodium chicken broth (if safe for your dog) as a treat.
- **Cranberries:** Often touted for urinary health in humans, their role in dogs is more limited.

While they may help prevent bacteria from adhering to the bladder wall, they are not a cure for bladder stones and can be high in sugar and oxalates. Use only under veterinary advice.

Putting It All Together: A Sample Management Plan

Managing a dog with bladder stones is a holistic project. It involves more than just

the food bowl. A comprehensive plan includes:

1. **Accurate Diagnosis:** A urinalysis and X-ray or ultrasound to identify the type and number of stones.
2. **Veterinary Treatment:** Removal of stones (surgery, urohydropropulsion, or, for struvite, a dissolution diet) and treatment of any underlying infection.
3. **Dietary Transition:** Gradual transition to the prescribed therapeutic diet over 7-10 days to avoid digestive upset.
4. **Strict Dietary Compliance:** No

other food, treats, or flavored medications (e.g., heartworm preventatives) without checking with your vet. Even a single high-oxalate treat can cause a spike in urinary oxalate levels.

5. **Routine**

Monitoring:

Regular urinalysis and possibly imaging to check urine pH, specific gravity, and the presence of crystals. This helps your vet determine if the diet is working effectively.

Conclusion

Navigating the world of **diets for dogs with bladder stones** can feel overwhelming, but it doesn't have to be. The key takeaway is that there is no one-size-fits-all answer. What works beautifully for a dog with struvite stones could be disastrous for a dog with calcium oxalate stones. Your dog's individual needs are dictated by the chemical composition of their stones. By working closely with your veterinarian, adhering to a scientifically formulated prescription diet, and focusing on the non-negotiable element of increased water intake, you can

dramatically reduce the risk of recurrence. A proactive nutritional strategy, combined with regular veterinary check-ups, is the most powerful tool you have to ensure your dog lives a comfortable, healthy, and stone-free life. Remember, you are not just feeding your dog; you are managing their internal environment to promote long-term urinary health.